




Styluscom

Smart Intercom System!




Handsfree wall/desk
mount **AUDIO** Handset
option.

- Combines access control and CCTV in one system.
- Up to 2 gates and 2 CCTV cameras connected to a maximum of 4 monitors.
- Super long range over CAT 5 (300 yards).
- Motion detection recording (from one device).
- SD card records stills of visitors/missed callers. (Not included)
- Option to connect external camera to speech panel for certain applications.
- Easy to wire monitor with wall mounted connection panel.
- 24V 2A dc adaptor included.



House Set Up



Monitor mounting	Flush or Surface
Recording	Micro SD card not included, 32Gb Max
Capacity	Over 50 x 10 second clips (200 on 32Gb card)
Recording type	Motion detection video algorithm
Recording channels	1 (can choose to record from door, or camera)
Recording options	10-60 second video, or still image
Recording resolution	720 x 288 pixels
Screen size	4.3 inch
Screen resolution	480 x 272

CAT5 distance (2 power supplies)	300m / yards
Poly Poly cable (2 power supplies)	Up to 150m / yards approx
CAT5 distance (1 power supply)	Up to 50m / yards
Poly Poly cable (1 power supply)	Up to 50m / yards

Camera type	Colour CCD analogue
Night vision	Yes, with IR illumination (2m range)
Lens	110 degree viewing angle
Resolution	800 TVL

Relays per door station	2
Door stations per system	2
Monitors per system	4
Keypad	Optional, with 3 relays & 1200 codes

Door station construction	Marine grade stainless steel & gloss black acrylic trim
Door station mounting	Surface, flush, and pedestal options available
IP rating	55, suitable for exposed locations
Backlighting	Illuminated keypad, button and back lighting



STYLUS-VID-PB-US (Pedestal Model)



STYLUS-VID-PBK-US (Pedestal Keypad Model)



All black pedestal panels, marine grade, brushed stainless steel construction with gloss acrylic faceplate and powder coated aluminium hood. Modern blue illuminated buttons. Kits includes 1 stylus monitor, 1 speech panel and 2 power supplies.

STYLUS-VID-AB-US (Architectural Model)



STYLUS-VID-ABK-US (Architectural Keypad Model)



Stylish curved architectural panels.
BS316 marine grade, brushed stainless steel construction with toughened black gloss acrylic faceplate.
Kits includes 1 stylus monitor, 1 speech panel and 2 power supplies.

STYLUS-VID-ABK-CP-US

Additional VIDEO door/gate panels.

STYLUS-VID-PBK-CP-US




STYLUS-VID-AB-CP-US



STYLUS-VID-PB-CP-US





STYLUS-AUD-PB-US (Pedestal Model)



STYLUS-AUD-PBK-US (Pedestal Keypad Model)



Pedestal panels, marine grade, brushed stainless steel construction with gloss acrylic faceplate and powder coated aluminium hood. Modern blue illuminated buttons. Kits includes 1 stylus-**AUDIO** monitor, 1 **AUDIO** speech panel and 2 power supplies.

STYLUS-AUD-AB-US (Architectural Model)



STYLUS-AUD-ABK-US (Architectural Keypad Model)



Stylish curved architectural model with keypad.
BS316 marine grade, brushed stainless steel construction with gloss acrylic faceplate.
Kits includes 1 stylus-**AUDIO** monitor, 1 **AUDIO** speech panel and 2 power supplies.

Additional AUDIO door/gate panels.

STYLUSCOM-AUD-AB-KP-CP-US



STYLUSCOM-AUD-AB-KP-CP-US





STYLUSCOM-AUD-PED-KP-CP-US




STYLUSCOM-AUD-PED-KP-CP-US






STYLUS-VID-4.3-US

- Additional monitor.
- Sleek design, featuring a gloss white screen trim.
- Wall mountable, hands free design.
- Touch sensitive buttons.
- Volume control.
- 4.3 inch screen.
- Power supply included.




STYLUS-DOME-US

- Black Dome camera.
- Day/Night Vision with a 10 metre night range.
- 700 TVL.
- 4mm fixed lens.
- Power supply not included.



STYLUS-AUD-4.3-US

- Additional **AUDIO** handset.
- Sleek design, featuring a gloss white screen trim.
- Wall mountable, hands free design.
- Touch sensitive buttons.
- Volume control.
- Power supply included.




STYLUS-BULLET-US


- Black Bullet camera.
- Day/Night Vision with a 10 metre night range.
- 700 TVL.
- 4mm fixed lens.
- Power supply not included.

Call Panel Dimensions


STYLUSCOM-AB (video)




STYLUSCOM-AUD-AB (audio)




STYLUSCOM-ABK (video)



STYLUSCOM-AUD-ABK (audio)



STYLUSCOM-PED (video)



STYLUSCOM-AUD-PED (audio)

